## GRAVITATION



### KIPS MULTIPLE CHOICE QUESTIONS

₫	ALC		HOICE GUESTI	(注	
	predicted	about artificial satel	lites about 300 years	ago.	
1.	a) Galileo	Jb) Newton	c) Einstein	d) Faraday	
	Unit of gravitation	nal field strength is:			
2.	a) N	𝛂) N kg⁻¹	c) J	d) N m	
_	nt tames of moon	from Earth is?			
3.	a) 38, 000 km	<b>b</b> ) 3, 80, 000 km	c) 3, 000, 000 km	d) 30, 000 km	
	Speed of GPS sate	ellite is:			
4.	- 0.1a <sup>-1</sup>	V6) 3 87 kms <sup>-1</sup>	c) 5.6 kms <sup>-1</sup>	d) 5.0 kms <sup>-1</sup>	
_	if the distance between two masses is half then the force of gravitation				
5.	a) One fourth	<b>b</b> ) Four times	c) Doubled	d) Half	
,	In System Interna	tional, the value of G	is:	2	
6.	a) $6.4 \times 10^6 \text{ Nm}^2 \text{kg}^{-2}$		b) $6.4 \times 10^{-11} \text{ Nm}^2 \text{kg}^{-2}$ d) $6.67 \times 10^{-11} \text{ Nm}^2 \text{kg}^{-2}$		
	c) $6.67 \times 10^{11} \text{ Nm}^2 \text{kg}^{-2}$		d) 6.67 x 10 <sup>-11</sup> Nm	kg <sup>-</sup>	
7.	Radius of earth is:		6	d) 6 x 10 <sup>6</sup> km	
	$_{\rm o}$ 6.4 x 10 <sup>6</sup> km	6) 6.4 x 10° m	e) 6 x 10 <sup>6</sup> m		
0	The SI unit of grav	vitational force is:		d) both "a" and "b"	
8.			c) ms <sup>-2</sup> d) both "a" and "		
9.	What will be the value of G if mass of t		he earth becomes lou	d) Doubled	
7.	No change	b) Four times	0) 0111		
10.	The mass of Earth is approximately:		1024 102	d) 5500 x 10 <sup>24</sup> kg	
10.	$a) 6.4 \times 10^{24} \text{ kg}$	b) 6.0 x 10 kg	€) 6.0 x 10 kg	u) 5500 11	
11.	As we go up the value of G becomes:			d) Doubled	
11.	(a) Unchanged	b) Increases	c) Decreases	ole is known as	
12.	The force which D	b) Increases ulls the object towa	rds the center of cir	CIC IS MICH	
14.	force:			d) Gravitational	
	a) Frictional	b) Coulomb	Centripetal	the surface of the earth.	
13.	When on object is	at a height equal to r	adius of earth above	the surmer	
10.	a) Frictional b) Coulomb When an object is at a height equal to r What is the value of g <sub>h</sub> ?			d/g/4	
- 1	a) 4g	b) 2g	c) g/2	(a) g/ ·	
14.				1	
	What is not true about g?		b) g is greater at po	)les	
	a) g is different at different places c) g is less at poles If the weight of an object on the surface		d) g decrease as go higher d) g decrease as go higher on the surface of		
15.	g is less at poles	the surface	e of earth is W. Its	weight on the	
	moon will i	object on the surface	·• · · · · · · · · · · · · · · · · · ·	d) W/8	
	woon will be:	•	c) W/4	a) w/o	
	-	ь) W/6	<del>- )</del>	119	

16.	On mountains or	ar weight will be	as compared to we	eight on the surface of		
	earth.		~ Less	d) None of above		
	a) Equal	b) Greater	∼€) Less			
17.	If mass of both t	the bodies is 1kg and	l distance between their	centers is 1 in then the		
		ce will be equal to:				
	√() G	b) g	c) V	d) None of above		
18.	A satellite is rev	olving around the ca	rth in a circular orbit. If	the radius of the orbit		
	is increased from	n R to 2R. What will	be its velocity?			
	$\sqrt{2}v$	b) v <sup>2</sup>	e) v/2	d) $\frac{V}{\sqrt{2}}$		
19.	An artificial sat	tellite keeps on revo	lving around the earth i	n different orbits with		
	uniform speed o					
	∼a) Gravitational	force	<ul><li>b) Frictional force</li></ul>			
	c) Coulmb force			d) Electromagnetic force		
20.	Relative velocit	y of Geostationary sa	itellite with respect to ear	th is:		
	a) 7.9 kms <sup>-1</sup>	b) 11.2 kms <sup>-1</sup>	c) 9.8 ms	d) Zero		
21.	If a rocket is fired vertically with a speed of, it will start revolving around					
	× .	/				
	a) 8 ms <sup>-1</sup>	~b) 8 kms <sup>-1</sup>	c) 9.8 ms <sup>-1</sup>	d) 11.2 kms <sup>-1</sup>		
22.	Height of the G	costationary satellite	e above the surface of ear	th is:		
	a) 1000 km	b) 3600 km	c) 36000 km	-d) 42300 km		
23.	Gravitational force on the surface of earth is equal to:					
٠	a) G	b) g	(c) W	d) All of above		
24.	Weight of the b	oody of mass 10 kg or	n the surface of moon:	A.C. 10		
	a) 160 N	6) 16N	c) 1.62 N	d) None of above		
25.	If the radius of a circle in which object is moving is doubled then centripet					
	acceleration be	ecomes:				
	a) double	め) half	c) three times	d) four times		
26.	We can feel gravitational force between the objects if they have:					
	<ul> <li>a) large distance</li> </ul>		b) large mass			
	c) high velocity		d) high volume			
27.	Value of gravi	tational constant is:				
	a) $9.8 \text{m/s}^2$	b) $6.67 \text{m/s}^2$	c) 6.67×10 <sup>-11</sup> Nm2	2kg <sup>-2</sup> d) none		
28.	What is force	due to gravity?				
	a) F=mg	b) F=mg	c) W=Fd	d) mv		
29.	Value of accele	eration due to gravit	y on earth is:			
	$\frac{8}{8}$ 9.8m/s <sup>2</sup>	b) 1.6m/s <sup>2</sup>	c) 6.67×10 <sup>-11</sup> m/s <sup>2</sup>	d) 6.67×10 <sup>-11</sup> Nm <sup>2</sup> /kg		
30.	Value of accel	eration due to gravit	V on moon is:	d) olor		
	$\approx 1.6 \text{m/s}^2$	b) $10 \text{m/s}^2$	c) $9.8 \text{m/s}^2$	d) G/6		
		,	C) 2.011/5	a) ch		

#### **ANSWER KEY**

Q.	Ans	Q.	Ans	Q.	Ans
1	b	11	a	21	b
2	b	12	С	22	,d
3	b	13	d	23	C
4	b	14	c .	24	b
5	b	15	b	25	b
6	d	16	c	26	b
7	b	17	a	27	c
8	d	18	a	28	a
9	a	19	a	29	a
10	C	20	- d	30	a

### KIPS SHORT QUESTIONS

- State Newton's law of universal gravitation.
- STATEMENT: Everybody in the universe attracts every other body with a force which is 0.1directly proportional to the product of their masses and inversely proportional to the Ans: square of the distance between their centres.
- What is the relation between law of gravitation and Newton's third law of motion. Q.2RELATION: Ans:

m

It is the be noted that mass m1 attracts m2 towards it with a force F while mass m2 attracts m1 towards it with a force of same magnitude F but in opposite direction. If the force acting on m1 is considered as action then the force acting on m2 will be the reaction. This is consistent Newton's third law of motion.

- 0.3What is gravitational field?
- Ans: The region around which the effect of earth's gravitation or earth's attraction can be felt is called gravitational field.

Q.4 What is meant by satellite?

Ans: An object which revolves around the sun or planet is called a satellite.

Q.5 What is the natural satellite of the earth?

Ans: The moon revolves around the earth so moon is the natural satellite of the earth.

Q.6 Do you attract the earth or earth you? Which one is attracting with a larger force? You or earth?

Ans: Reason: Earth attracts us with the force which is equal to our body.

Q.7 What is the field of force?

Ans: Field of force: A field of force means a space or a region around the earth where its effect can be felt.

Q.8 Why earlier scientists could not guess about gravitational force?

Ans: Reason: This force is very small so that earlier scientists cannot feel it.

Q.9 Explain what is meant by the gravitational field strength?

Ans: The gravitational field becomes weaker and weaker as we go further and further away from the earth. Near the surface of the earth of the earth the gravitational field strength is  $10 \mathrm{NKg}^{-1}$ 

Q.10 Why law of gravitation is imp for us?

Ans: As we know that every body object attracts the other object with a force. According to this law we are stable on earth because earth attracts as with a force of gravity.

Q.11 Can you determine the mass of our moon? If yes, then what you need to know?

Ans: yes, we can determine the mass of our moon, we only need to know the gravity of our moon.

Q.12 Why the value of g varies from place to place?

Ans: The value of a depends upon the distance of the body from the center of the earth.

Q.13 On what factors the orbital speed of a satellite depends?

Ans: Reason: It depends upon the altitude of the body from the center of the earth.

Q.14 At which point does the earth's gravitational force of attraction vanishes?

Ans: It vanishes at infinity

Q.15 The value of g on moon's surface is 1-6ms-1. What will be the weight of 100 kg body on surface of the moon?

Ans: The weight will be 160N.

Q.16 What is the orbit speed of a low satellite?

Ans: The orbit speed is 8000 ms<sup>-1</sup>.

Q.17 At what altitude the value of gravitation becomes 1 fourth?

Ans: At an altitude of one earths radius the gravitation becomes one fourth.

Q.18 What is the formula of orbital velocity.

Ans: Formula:

 $V_0 = \sqrt{gh(R+h)}$ 

UNIT-5 Gravitation

What is artificial satellite?

Q.19 Scientists have sent many objects into space. Some of these objects revolve around the Ans: Earth. These are called artificial satellites.

Define gravitation. Q.20

In the universe, there exists a force between the bodies due to which everybody of the Ans: universe attracts every other body. This force is known as force of gravitation.

State law of gravitation Q.21

Every object in the universe attracts every other object with a force which is directly Ans: proportional to the product of their masses and inversely proportional to the square of the distance between their centers.

What is the relation between Law of Gravitation and Newton's Third law of Q.22motion?

It is to be noted that mass m<sub>1</sub> attracts m<sub>2</sub> towards it with a force F while mass m<sub>2</sub> attracts m<sub>1</sub> with a force of the same magnitude F but in opposite direction. If the force acting on m<sub>1</sub> is considered as action then the force acting on m<sub>2</sub> will be reaction. The action and reaction due to force of gravitation are equal in magnitude but opposite in direction. This is in consistence with Newton's third law of motion which states, to every action there is a always an equal but opposite reaction.

What is Gravitational Field Strength? 0.23

In the gravitational field of the Earth, the gravitational force per unit mass is called gravitational field strength of the Earth. At any place its value is equal to the value of g at that point. Near the surface of the Earth, the gravitational field strength is 10 Nkg<sup>-1</sup>.

Define orbital velocity Q.24

It is the velocity of the satellite which moves around the earth at specific height.

Q.25 What do you know about Global Positioning System (GPS)?

Ans: Global Positioning System (GPS) is a satellite navigation system. It helps us to find the exact position of an object anywhere on the land, on the sea or in the air. GPS consists of 24 Earth satellites. These satellites revolve around the Earth twice a day with a speed of 3.87 km s<sup>-1</sup>.

Q.26 What will happen if Earth suddenly stops revolving around the Sun?

Ans: If Earth suddenly stops revolving around the Sun then due to attraction of sun and earth, it will fall down on the sun.

Q.27What do you know about geostationary satellites?

Geostationary satellites are the satellites whose velocity relative to earth is zero. These satellites remain stationary with respect to the earth at the height of 42,300 km from the surface of the earth. These are used for global TV transmissions and other telecommunication purposes.

- Q.28 What is effect of the followings on the gravitational acceleration?
  - (i) Mass of freely falling body
  - (ii) Distance of freely falling body from the center of earth

Ans: Effect of mass

There is no effect of mass of the body on gravitational acceleration because according to the relation  $g = GM/R^2$ . This relation shows that gravitational acceleration is independent of the mass of freely falling body.

Effect of distance from the center of earth

Gravitational acceleration is inversely proportional to the distance of freely falling body from the center of earth. If the distance of the body is more from the center of the earth gravitational acceleration will be less and vice versa.

Q.29 Is there any difference between the value of 'g' at the equator and at the poles?

Ans: As the shape of the earth is not perfect sphere but elliptical. The distance at the equator to the center of earth is more, so gravitational acceleration 'g' at equator will be less However, as the distance at the poles to the center of the earth is less, so gravitation acceleration 'g' will be more.

Moon revolves around the earth, from where it gets necessary centripetal force? Q.30

The gravitational force between the earth and the moon provides the necessary centripetal Ans: force to moon for revolving around the earth.

If we go on top of the mountain, will our weight increase or decrease? Q.31

If the distance from the centre of the Earth increases from the average radius of the Earth, Ans: the value of 'g' will decrease. This is the reason due to which the value of 'g' is less on the top of mountains. So our weight will be decreased.

Why do not we observe force of attraction between any two objects around us? Q.32

Since the gravitational force between different objects around us is very small, so we do Ans: not feel it. However, if the mass of one or both the objects is very large, then we can observe the effect of gravitational force easily.

What is the gravitational force acting on the body placed at the surface of Earth? Q.33

Since the mass of the Earth is very large, it attracts nearby objects with a significant Ans: force. The weight of an object on the Earth is a result of the gravitational attraction between the two.

What is the gravitational force acting on the body placed at the surface of Earth? Q.34

Since the mass of the Earth is very large, it attracts nearby objects with a significant Ans:

### **LONG QUESTIONS**

### THE FORCE OF GRAVITATION

Law of Gravitation



Q.No.1 State and explain Newton's law of gravitation.

Ans: Gravitation

In the universe, there exists a force between the bodies due to which everybody of the universe attracts every other body. This force is known as force of gravitation.

Statement

Every object in the universe attracts every other object with a force which is directly proportional to the product of their masses and inversely proportional to the square of the distance between their centers.

Explanation

OR

Every object in this universe attracts other objects towards its centre. The attraction between two objects is called gravitation. On the basis of his observations. Newton derived a law which is called Newton's law of gravitation.

### Mathematical Derivation

Consider two bodies A and B of masses  $m_1$ , and  $m_2$ , respectively. According to law of gravitation, the gravitational force of attraction F with which two mass  $m_1$  and  $m_2$  separated by a distance d attracts each other is given by:




Figure 5.1: Two masses attract each other with a gravitational force of equal magnitude.

$$F \alpha m_1 m_2 \propto G m_1 m_2 \propto G m_1 m_2 \propto G m_1 m_2 \sim G$$

### Gravitational constant

G is a constant called gravitational constant. It is called universal constant of gravitation. If  $m_1 = m_2 = 1$  kg and d = 1 m, then F = G. Thus G is a force which 1 kg object exerts on another 1 kg object placed 1 m away from it. In SI units, the value of gravitational constant G is  $6.67 \times 10^{-11}$  Nm<sup>2</sup> kg<sup>-2</sup>.

### Dependence of Gravitational force on mass

Due to small value of G, the gravitational force of attraction between different objects around us is very small, so we do not feel it. However, if the mass of one or both the objects is very large, then we can observe the effect of gravitational force easily.

### Gravitational force on the surface of Earth

Since the mass of the Earth is very large, it attracts nearby objects with a significant force. The weight of an object on the Earth is a result of the gravitational attraction between the two.




Figure 5.2: Weight of a body is due to the gravitational force between the body and the Earth.

### Gravitational Field

### Q.No.2 Explain the gravitational field?

Ans: According to the Newton's law of gravitation, the gravitational force between a body of mass m and the Earth is given by,

$$F = \frac{G m M}{R^2}$$

Where M<sub>e</sub> is the mass of the Earth and r is the distance of the body from the center of the Earth.

The weight of a body is due to the gravitational force with which Earth attracts a body. Gravitational force is a non-contact force.

### Example

The velocity of a body, thrown up, goes on decreasing while on returns its velocity goes on increasing. This is due to the gravitational pull of the Earth acting on the body whether the body is in contact with the Earth or not. Such a force is called the field force. It is assumed that a gravitational field exists all around the Earth. This field is directed towards the center of mass of the Earth as shown in figure. The gravitational field becomes weaker and weaker as we go farther and farther away from the Earth.




Figure 5.3: Gravitational field around the Earth is towards its centre.

### Gravitational Field Strength

In the gravitational field of the Earth, the gravitational force per unit mass is called gravitational field strength of the Earth. At any place its value is equal to the value of gat that point. Near the surface of the Earth, the gravitational field strength is 10 Nkg<sup>-1</sup>.

### 5.2 MASS OF THE EARTH

### Q.No.3 Determine the mass of the earth by using Newton's law of gravitation.

Earth. Let mass of the Earth is Me and radius of Earth be R. The distance between the body and center of the Earth is R equals to the radius of the Earth R.

According to the law of gravitation, the gravitational force F of the Earth acting on the body is given by,

$$F = \frac{G M_e m}{R^2} \dots \dots \dots \dots (1)$$

We know that the force of gravitation with which Earth attracts the body towards its center is equal to the weight of the body. Therefore,

Therefore, 
$$F = w = mg$$

OR  $mg = \frac{G M_e m}{R^2}$ 

Or  $g = \frac{G Me}{R^2}$  ...............(2)

Or  $M_e = \frac{g R^2}{G}$  ........................(3)




Figure 5.4: Weight of a body is Equal to the gravitational force between the body and the Earth

As we know that,

$$g = 10 \text{ ms}^{-2}$$

$$R = 6 \times 10^6 \text{ m}$$

$$G = 6.67 \times 10^{-11} \text{ Nm}^2 \text{kg}^{-2}$$

By putting the value of g, R and G in equation (3), we have

$$M = \frac{gR^2}{G} = \frac{10 \times (6.4 \times 10^6)^2}{6.673 \times 10^{-11}}$$

$$M = \frac{10 \times 40.96 \times 10^{12}}{6.673 \times 10^{-11}}$$

$$M = \frac{409.6 \times 10^{12}}{6.673 \times 10^{-11}}$$

$$M = 61.4 \times 10^{23}$$

$$M = 6.14 \times 10^{24} \text{ kg}$$

$$M = 6 \times 10^{24} \text{ kg}$$

Hence the mass of the earth is approximately  $6 \times 10^{24}$  kg.

### VARIATION OF g WITH ALTITUDE

Q.No.4 Explain the variation of 'g' with altitude.

As we know that

$$g = \frac{G Me}{R^2}$$

The above equation show that the acceleration due to gravity depends on the radius of Earth at its surface. The value of g is inversely proportional to the square of the radius of the Earth. It does not remain constant. It decreases with altitude. Altitude is the height of an object or place above sea level. The value of g is greater at sea level at the hills.




Figure 5.5: Weight of a body decreases as its height increases from the surface of the Earth

### Mathematical Form

Suppose a body of mass m at an altitude h. the distance of the body from the center of the Earth is R+h. By using above equation, we have

$$g_h = \frac{G M}{(R + h)^2}$$

According to the above equation, we come to know that at a height equal to one Earth radius above the surface of the Earth, g becomes one fourth of its value on the Earth. Similarly, at a distance of two Earth radius above the Earth's radius above the Earth's surface, the value of g becomes one ninth of its value on the Earth.

ATRIFICIAL SATELLITES

Q.No.5 What are artificial satellites? Define orbital velocities and what do you know about communication satellites?

An object that revolves around a planet is called a satellite.

**Orbital Velocity** 

It is the velocity of the satellite which moves around the earth at specific height.

Natural satellite of Earth

The moon revolves around the Earth so moon is the natural satellite of Earth.

Artificial satellites

Scientists have sent many objects into space. Some of these revolve around the Earth. These are called artificial satellites.

Most of the artificial satellites orbiting around the Earth are used for communication purposes. Artificial satellites carry instruments or passengers to perform experiments in the space.

Large numbers of artificial satellites have been launched in different orbits around the Earth. They take different time to complete their one revolution around the Earth depending upon their distance h from the Earth.

Communication Satellites

Communication satellites take 24 hours to complete their one revolution around the Earth. As Earth also complete one rotation about its axis in 24 hours, hence, these communication satellites appear to be stationary with respect to Earth. It is due to this reason that the orbit of such satellites is called geostationary orbit. Dish antennas sending and receiving the signals from them have fixed direction depending upon their location on the Earth.

Motion of Artificial Satellites

Q.No.6 Explain the motion of an artificial satellite and derive the formula for orbital velocity of an artificial satellite.

A satellite requires centripetal force that keeps it to Ans: move around the Earth. The gravitational force of attraction between the satellite and the Earth provides the necessary centripetal force.



Figure 5.6: A satellite is orbiting around the Earth at a height h above the surface of the Earth.

### Mathematical Derivation

Suppose a satellite of mass m is revolving around the Earth at a height 'h' in an orbit of radius ro with orbital velocity vo. The necessary centripetal force Fe required to keep the satellite moving is given by,

$$F_c = \frac{m v_o^2}{r_o^2} \dots (1)$$

This centripetal force is provided to the satellite by the gravitational force of attraction between the Earth and satellite and is equal to the weight of the satellite w (mgh). thus

$$F_c = W = mg_h$$
 ......(2)

By comparing equation (1) and equation (2), we get

$$mg_{h} = \frac{mv_{o}^{2}}{r_{o}}$$
or
$$v_{o}^{2} = g_{h}r_{o}$$
or
$$v_{o} = \sqrt{g_{h}r_{o}}$$

$$r_{o} = R + h$$

$$v_{o} = \sqrt{g_{h}(R + h)}$$

This equation represents the orbital velocity, which a satellite must possess when launched in an orbit of radius  $r_0 = R + h$  around the Earth. An approximation can be made for a satellite revolving close to the Earth such that R >> h.

$$R + h \approx R$$

And 
$$g_h \approx g$$

So 
$$v_0 = \sqrt{g R}$$

A Satellite revolving around very close to the Earth has speed nearly 8 kmh<sup>-1</sup> or 29000 kmh<sup>-1</sup>.

### MINI EXERCISE

(1) Does an apple attract the Earth towards it?

Ans: Yes, Apple attracts the earth but this force is very very small so it is unable to pull the earth.

(2) With what force an apple weighing 1N attracts the Earth?

Ans: Apple weighing 1N attracts the earth with a force of 1 N.

(3) Does the weight of an apple increase, decrease or remain constant when taken to the top of a mountain.

Ans: As we go to the mountains, value of g decreases. So weight of the apple decrease. (As w = mg)

# TEXTBOOK EXERCISE

		QUES	t an choices.				
		Encircle the correct answer from the	given chos	d) 1000 km			
	5.1	Encircle the correct and	c) 42300 km	a) 1000 km			
	i.	Earth s gravitation	C) (124				
		a) 6400 km	b) increase in altitu	ide			
	ii.	Value of g increases with the:					
		a) Increase in mass of body	d) none of the above	ace of Earth is:			
		a) Increase in mass of body c) decrease in altitude The value of g at a height one Earth's	s radius above the surr	d) 1/4 o			
	iii.	The value of g at a height one Earth	c) 1/3 g	u) 174 g			
		a) 2 g b)1/2 g	1.6 ms <sup>-2</sup> . What will b	e the Weight of a 100 kg			
iii. The value of g at a neight one Earth (c) 1/3 g a) 2 g b)1/2 g iv. The value of g on moon's surface is 1.6 ms <sup>-2</sup> . What is a second of the moon?				Salar			
		body on the surface of the moon.		10001			
		a) 100 N b) 160 N	1 :-b communicatio	ns satellites are launched			
	v.	a) 100 N  The altitude of geostationary orbits i	n which communication				
		above the surface of Earth is:		d) 42300 km			
	*	a) 850 km b) 1000 km	c) 6400 km	<u>a) 12000 1210</u>			
	vi.	The orbital speed of a low orbit satel	lite is:	d) 8000 ms <sup>-1</sup>			
		a) zero b) 8 ms <sup>-1</sup>	c) 800 ms <sup>-1</sup> ,	u) 3000 iiis			
	5.2	xvi - 4 : ant by force of gravitation	n?	1 1 64			
	Ans:	In the universe, there exists a force b	etween the bodies due	to which everybody of the			
		universe attracts every other body. This force is known as force of gravitation.					
5.3 Do you attract the earth or the Earth attracts you? Which				h one is attracting with a			
		larger force? You or Earth?					
	Ans:	to the second se					
	Alis.	the mass of the Earth is large.		3			
	5.4			All Manual			
		What is a field force?					
	Ans:						
		other body or not. It is non - contact force. The gravitational pull of the Earth acti					
		the body whether the body is in contac		· · · · · · · · · · · · · · · · · · ·			
	5.5	gass as at the gray itational for ce:					
Ans: Earlier scientists could not guess about the gravitational				ce because of its low value.			
		Scientists of old age have not sensitive	instruments to detect t	hat force.			
5	5.6	How can you say that gravitational	force is a field force?				
A	lns:						
		bodies are in contact with the Earth or not. So, we can say that gravitational					
		field force.	of flot. So, we can say	that gravitational force is			
-	7						
5.		Explain, what is meant by gravitation	onal field strength?	.1.a			
A	ns:	In gravitational field, the gravitati	onal force setime	r unit mass is called the			
		Bravitational from Strain Residence	s weaker and weaker as	s we go away from the object			
		applying the gravitational force.	- witter at	, iio go airaj			

Why law of gravitation is important to us?

Law of gravitation is important to us because it is used to calculate force of attraction between two masses. It is used to calculate the mass of Earth.

Explain the law of gravitation?

5.9 Sec Q. no.1 Long Question

Ans: How the mass of Earth can be determined?,

5.10 See Q. no.3 Long Question

Ans: Can you determine the mass of our moon? If yes, then what you need to know?

Yes we can determine the mass of the moon by same method used to measure the mass of the Earth with the help of law of gravitation. The formula is:

$$M_m = \frac{g R^2}{G}$$

From the about relation it shows that we require,

g = gravitational acceleration on the surface of moon = 1.62 ms<sup>-2</sup>

 $R = Radius of moon = 1.74 \times 10^6 m$ 

G = Gravitational constant =  $6.67 \times 10^{-11} \text{ N m}^2 \text{ kg}^{-2}$ 

5.12 Why does the value of g vary from place to place?

Ans: See Q. no.4 Long Question

5.13 Explain how the value of g varies with altitude.

Ans: See Q. no.4 Long Question

5.14 What are artificial satellites?

Ans: Scientists have sent many objects into space. Some of these revolve around the Earth.

These are called artificial satellites.

Large numbers of artificial satellites have been launched in different orbits around the Earth. They take different time to complete their one revolution around the Earth depending upon their distance h from the Earth.

5.15 How Newton's law of gravitation helps in understanding the motion of satellites.

Ans: The motion of satellites is due to force of gravitation and this gravitational force is provided by Earth. As we know that Newton gave the law of gravitation. So, we can say that Newton help us in understanding the motion of satellites.

5.16 On what factors the orbital speed of a satellite depends?

Ans: As we know that

$$v_0 = \sqrt{g_h (R + h)}$$

So, we can say that orbital speed depends upon the gravitational acceleration and distance between the center of earth and the satellite.

5.17 Why communication satellites are stationed at geostationary orbits?

Ans: The satellites in geostationary orbits remain all the time in front of target part of Earth so that direction of receiver's dish do not to be changed.



### **PROBLEMS**

Find the gravitational force of attraction between two spheres each of mass 1000 kg. The distance between the centers of the spheres is 0.5m.

### Given Data

Mass of each sphere =  $m_1 = m_2 = 1000 \text{ kg}$ 

Distance between their centers = d = 0.5 m

### Required

Gravitational force between the spheres = F = ?

#### Solution

From the law of gravitation, we have

$$F = \frac{G m_1 m_2}{d^2}$$

By putting the values, we have

$$F = \frac{6.67 \times 10^{-11} \times 1000 \times 1000}{(0.5)^2}$$

$$F = \frac{6.67 \times 10^{-5}}{0.25}$$

$$F = 26.68 \times 10^{-5}$$

$$F = 2.67 \times 10^{-4} \text{ N}$$

#### Result

Gravitational force between the spheres =  $F = 2.67 \times 10^{-4} \text{ N}$ 

5.2 The gravitational force between two identical lead spheres kept at 1 m apart is 0.006673 N. Find their masses.

### Given Data

Gravitational force = F = 0.006673 N

Distance between centers = r = 1 m

Gravitational constant =  $6.67 \times 10^{-11} \text{ Nm}^2 \text{kg}^{-2}$ 

### Required

Mass of each lead spheres =  $m_1 = m_2 = ?$ 

### Solution

From law of gravitation, we have

$$F = G \frac{m_1 \times m_2}{r^2}$$

$$OR \qquad m_1 \times m_2 = \frac{F \times r^2}{G}$$

By putting the values, we have

$$m_1 \times m_2 = \frac{9.006673 \times (1)^2}{6.67 \times 10^{-1}}$$

$$m_1 \times m_2 = 0.001000 \times 10^{11}$$

$$m_1 \times m_2 = 1.00 \times 10^8$$

As 
$$m_1 = m_2$$

$$M = \frac{1.62 \times (1.74 \times 10^{6})^{2}}{6.67 \times 10^{-11}}$$

$$M = \frac{1.62 \times 3.0276 \times 10^{12}}{6.67 \times 10^{-11}}$$

$$M = \frac{4.90 \times 10^{12}}{6.67 \times 10^{-11}}$$

$$M = 0.735 \times 10^{23}$$

$$M = 7.35 \times 10^{22} \text{ kg}$$

#### Result

Mass of the moon =  $M = 7.35 \times 10^{22} \text{ kg}$ 

Calculate the value of g at a height of 3600 km above the surface of the Earth. 5.5

#### Given Data

Height above the surface of Earth =  $h = 3600 \text{ km} = 3600 \text{ x } 10^3 = 3.6 \text{ x } 10^6 \text{ m}$ Gravitational constant =  $G = 6.67 \times 10^{-11} \text{ N m}^2 \text{ kg}^{-2}$ Mass of Earth =  $M = 6 \times 10^{24} \text{ kg}$ 

### Required

Gravitational acceleration = g = ?

#### Solution

As we know that

$$g = \frac{GM}{(R+h)^2}$$

By putting the values, we have

$$g = \frac{6.67 \times 10^{-11} \times 6 \times 10^{24}}{(6.4 \times 10^6 + 3.6 \times 10^6)^2}$$

$$g = \frac{40.02 \times 10^{13}}{(10 \times 10^6)^2}$$

$$g = \frac{40.02 \times 10^{13}}{1 \times 10^{14}}$$

$$g = 40.02 \times 10^{-1}$$

$$g = 4.002 \text{ ms}^{-2}$$

$$g = 4.00 \text{ ms}^{-2}$$

### Result

Gravitational acceleration =  $g = 4 \text{ ms}^{-2}$ 

Find the value of g due to the Earth at geostationary satellite. The radius of the 5.6 geostationary orbit is 48700 km.

#### Given Data

Radius of geostationary satellite =  $R = 48700 \text{ km} = 48700 \text{ x } 10^3 \text{ m} = 4.87 \text{ x } 10^7 \text{ m}$ Mass of earth =  $M = 6 \times 10^{24} \text{ kg}$ Gravitational constant =  $R = 6.67 \times 10^{-11} \text{ N m}^2 \text{ kg}^{-2}$ 

Required

Gravitational acceleration =  $g_h = ?$ 

Solution

As we know that

$$g = \frac{GM}{(R+h)^2}$$

By putting the values, we have

$$g = \frac{6.67 \times 10^{-11} \times 6 \times 10^{24}}{(4.87 \times 10^{7})^{2}}$$

$$g = \frac{40.02 \times 10^{13}}{23.72 \times 10^{14}}$$

$$g = 1.68 \times 10^{-1}$$

$$g = 0.168 \text{ ms}^{-2}$$

$$g = 0.17 \text{ ms}^{-2}$$



Gravitational acceleration =  $g_h = 0.17 \text{ ms}^{-2}$ 

The value of g is 4.0 ms<sup>-2</sup> at a distance of 10000 km from the centre of the Earth. Find the mass of the Earth.

Given Data

Gravitational acceleration =  $g = 4.0 \text{ ms}^2$ 

Radius from the center of Earth =  $R = 10000 \text{ km} = 10000 \text{ x } 10^3 \text{ m} = 1 \text{ x } 10^7 \text{ m}$ 

Gravitational constant =  $G = 6.67 \times 10^{-11} \text{ N m}^2 \text{ kg}^{-2}$ 

Required

Mass of earth = M = ?

Solution

As we know that

$$M = \frac{gR^2}{G}$$

By putting the values, we have

$$M = \frac{4 \times (1.0 \times 10^7)^2}{6.67 \times 10^{-11}}$$

$$M = \frac{4 \times 10^{14}}{6.67 \times 10^{-11}}$$

$$M = 0.599 \times 10^{25}$$

$$M = 5.99 \times 10^{24}$$

$$M = 6 \times 10^{24} \text{ kg}$$

Result

Mass of Earth =  $M = 6 \times 10^{24} \text{ kg}$ 

# 5.8 At what altitude the value of g would become one fourth than on the surface of the Earth?

### Given Data

Gravitational acceleration =  $g = 10 \text{ m}^{-2}$ 

Gravitational acceleration at height =  $g_h = \frac{g}{4} = \frac{10}{4} = 0.25 \text{ ms}^{-2}$ 

Gravitational constant =  $G = 6.67 \times 10^{-11} \text{ Nm}^2 \text{kg}^{-1}$ 

Mass of earth =  $M = 6 \times 10^{24} \text{ kg}$ 

### Required

Height of the satellite = h = ?

#### Solution

As we know that

$$g_h = \frac{GM}{(R+h)^2}$$

$$(R+h)^2 = \frac{G \times R}{g_h}$$

By taking square root on both sides, we have

$$\sqrt{(R+h)^2} = \sqrt{\frac{G \times R}{g_h}}$$

$$R + h = \sqrt{\frac{G \times R}{g_h}}$$

$$h = \sqrt{\frac{G \times R}{g_h}} - R$$

by putting the values, we have

$$h = \sqrt{\frac{6.67 \times 10^{-11} \times 6 \times 10^{24}}{2.25}} - 6.4 \times 10^{6}$$

$$h = \sqrt{\frac{40.02 \times 10^{13}}{2.25}} - 6.4 \times 10^{6}$$

$$h = \sqrt{17.79 \times 10^{13}} - 6.4 \times 10^{6}$$

$$h = \sqrt{177.9 \times 10^{12}} - 6.4 \times 10^6$$

$$h = 13.3 \times 10^6 - 6.4 \times 10^6$$

 $h = 6.9 \times 10^6$  m (Approximately equal to the radius of Earth)

### Result

Altitude required =  $h = 6.9 \times 10^6 \text{ m}$  (Approximately equal to the radius of Earth)

A polar satellite is launched at 850 km above Earth. Find its orbital speed.

Given Data

Height of satellite =  $h = 42000 \text{ km} = 42000 \text{ x } 10^3 \text{ m} = 4.2 \text{ x } 10^7 \text{ m}$ Mass of earth =  $M = 6 \times 10^{24} \text{ kg}$ 

Gravitational constant =  $G = 6.67 \times 10^{-11} \text{ Nm}^2 \text{kg}^{-2}$ 

Required

Orbital speed of satellite =  $V_0 = ?$ 

Solution

As we know that

$$v_o = \sqrt{\frac{GM}{R + h}}$$

By putting the values, we have

$$v_o = \sqrt{\frac{6.67 \times 10^{-11} \times 6 \times 10^{24}}{6.4 \times 10^6 + 4.2 \times 10^7}}$$

$$v_o = \sqrt{\frac{40.02 \times 10^{13}}{0.64 \times 10^7 + 4.2 \times 10^7}}$$

$$v_o = \sqrt{\frac{40.02 \times 10^{13}}{4.84 \times 10^7}}$$

$$v_o = \sqrt{8.26 \times 10^6}$$

$$v_o = 2.87 \times 10^3$$

$$v_o = 2870 \text{ ms-1}$$

Result

Orbital speed of satellite =  $v_0 = 2870 \text{ ms}^{-1}$